



Technical details

Country of Manufacture	Italy
Manufacturer	Catellani & Smith
Designer	Enzo Catellani
Year of design	2018
protection	IP44
Scope of delivery	LED
voltage suitability	230 - 240 Volt
material	brass, glass
socket/light fixture	G4
LED	inclusive
Colour Rendering Index	80
Color temperature in Kelvin	2,700 extra warm white
bulb exchange	on site itself
system performance	4 x 1 Watt
Total luminous flux in lm	300
Dimensions	H 2 x 45 + 2 x 75 cm

Catellani & Smith Syphaduepassi Set 4

Description

The Catellani & Smith Syphaduepassi Set 4 consists of four complete outdoor floor lamps, ready for connection, with all necessary accessories. The Syphaduepassi lamps can be easily connected to each other using the Catellani & Smith Quick Connectors system. Only a single power connection is required for installation. All necessary plug connections are included. Included in the set:

- Two lamps with a height of 45 cm
- two lamps with a height of 75 cm
- an extension cable with a length of 500 cm
- a driver necessary for lamp operation

The Syphaduepassi outdoor floor lamps can be fixed with their ground spike up to 25 cm into the ground. The heights of the lamps (45 cm and 75 cm) are indicated without ground spike. The light is focused and emitted without glare through the glass lenses of the lamps. The brass lamp rod of each lamp can be bent and realigned if necessary.

With IP44 protection, the Syphaduepassi lamps are protected against splashing water on all sides and solid foreign bodies with a diameter of 1 mm or more. With IP65 protection, the lamp rods are dust-tight and protected against strong jets of water from any angle. Drivers and extension cables are protected against temporary immersion with IP67 protection. The series also includes sets with one complete lamp or with two, three, five or nine complete lamps.

K-Meral GmbH & Co. KG | Sachsenweg 9 | Hambau / Öko-Zentrum NRW / Halle 4 | 59073 Hamm Tel.: +49 (0) 2381 - 905 9350 | Fax: +49 (0) 2381 - 905 9310 | info@wawawu.de

www.wawawu.eu