

Byok

Piani Mono 125 Downlight




Oberfläche

- Aluminium pulido
- aluminio mate
- negro mate

Leuchte

- ajustable en altura
- altura ajustable

Technical details

País de la Fabricación	 Alemania
fabricante	Byok
diseñador	Kai Byok
protección	IP20
Volumen de suministro	LED
entrada de tensión	230 - 240 Volt
material	aluminio
longitud del cable	300 cm
Atenuación	Regulable en el sitio con control de fase inversa
LED	incluyendo
Indice de reproduccion cromatica	>90
Temperatura de color en grados Kelvin	2.700 extra blanco cálido
reemplazo de la bombilla:	en el fabricante / en la fabrica
El rendimiento del sistema	8 x 3,6 Watt
Flujo total luminoso en lm	2.440
Dimensions	H 1 cm B 5 cm L 125 cm

Descripción

The Byok Piani Mono 125 is a pendant lamp. It is part of the Piani collection designed by Byok. Its unusual shape is only 1 cm thin. This lamp pleasantly illuminates the room in an almost agravic way. The eight LED bulbs are placed inside sockets so that you may exchange them singly. Following surfaces are offered: aluminum matt, aluminum polished or black matt. The light is offered either height-determinable (can be set to the desired length during assembly) or height-adjustable (the overall height can also be adjusted after assembly).

The integrated LEDs can be **dimmed on site with a trailing edge phase dimmer**. On request, they are also available with gesture control and Dim2Warm technology. With gesture control, the light is dimmed by holding the hand flat under the lamp. With Dim2Warm technology, the light takes on a warmer colour when dimmed. When dimmed, the light colour of the LEDs changes from 2,700 Kelvin extra warm white to 2,100 Kelvin extra warm white. The dimming range is between 0 and 100 percent.