

# Byok

## Piani Mono 125 Downlight




### Oberfläche

- Aluminio pulido
- aluminio mate
- negro mate

### Leuchte

- altura ajustable
- ajustable en altura

## Technical details

|  |  |
|--|--|
| <b>País de la Fabricación</b>                |  Alemania |
| <b>fabricante</b>                            | Byok   |
| <b>diseñador</b>                             | Kai Byok   |
| <b>protección</b>                            | IP20   |
| <b>Volumen de suministro</b>                 | LED  |
| <b>entrada de tensión</b>                    | 230 - 240 Volt   |
| <b>material</b>                              | aluminio   |
| <b>longitud del cable</b>                    | 300 cm   |
| <b>Atenuación</b>                            | Regulable en el sitio con control de fase inversa  |
| <b>LED</b>                                   | incluyendo   |
| <b>Indice de reproduccion cromatica</b>      | >90  |
| <b>Temperatura de color en grados Kelvin</b> | 2.700 extra blanco cálido  |
| <b>reemplazo de la bombilla:</b>             | en el fabricante / en la fabrica   |
| <b>El rendimiento del sistema</b>            | 8 x 3,6 Watt   |
| <b>Flujo total luminoso en lm</b>            | 2.440  |
| <b>Dimensions</b>                            | H 1 cm   B 5 cm   L 125 cm   |

## Descripción

The Byok Piani Mono 125 is a pendant lamp. It is part of the Piani collection designed by Byok. Its unusual shape is only 1 cm thin. This lamp pleasantly illuminates the room in an almost agravic way. The eight LED bulbs are placed inside sockets so that you may exchange them singly. Following surfaces are offered: aluminum matt, aluminum polished or black matt. The light is offered either height-determinable (can be set to the desired length during assembly) or height-adjustable (the overall height can also be adjusted after assembly).

The integrated LEDs can be **dimmed on site with a trailing edge phase dimmer**. On request, they are also available with gesture control and Dim2Warm technology. With gesture control, the light is dimmed by holding the hand flat under the lamp. With Dim2Warm technology, the light takes on a warmer colour when dimmed. When dimmed, the light colour of the LEDs changes from 2,700 Kelvin extra warm white to 2,100 Kelvin extra warm white. The dimming range is between 0 and 100 percent.