


# Arturo\_Alvarez

## Mytilus MY04G



### Technical details

<b>País de la Fabricación</b>	 España
<b>fabricante</b>	Arturo_Alvarez
<b>diseñador</b>	Arturo Alvarez
<b>año</b>	2019
<b>protección</b>	IP20
<b>Volumen de suministro</b>	LED
<b>entrada de tensión</b>	230 - 240 Volt
<b>material</b>	acero, acero Inoxidable, vidrio
<b>Color del cable</b>	transparente
<b>ajuste de altura</b>	altura determinada
<b>Atenuación</b>	Regulable en el sitio con control de fase inversa
<b>Potencia en vatios</b>	8 W
<b>LED</b>	incluyendo
<b>El flujo luminoso en lm</b>	960
<b>Temperatura de color en grados Kelvin</b>	2.700 extra blanco cálido
<b>Dimensiones del dosel</b>	12 cm
<b>altura total</b>	150 cm
<b>Dimensions</b>	H 22 cm   B 74 cm   L 90 cm

### Descripción

The Arturo Alvarez Mytilus MY04G pendant lamp consists of a lacquered and particularly resistant stainless steel metal mesh. The material is hand-worked during manufacture. This lamp has a length of 90 cm and a width of 74 cm. The height is 22 cm. Through a spherical glass diffuser, the lamp emits its light in all directions glare-free. The canopy is made of white painted steel and has a diameter of 14.2 cm. An LED with a colour temperature of 2,700 Kelvin extra warm white is integrated as a light source. On request, the lamp is also available with 3,000 Kelvin warm white. The Mytilus MY04G has a total height of 150 cm, the cable can be shortened if required. The pendant lamp can be dimmed on site with a trailing edge phase dimmer. A DALI dimmable version is also available on request.