




Mawa

Wittenberg 4.0 ceiling lamp semi-flush LED

Oberfläche

- negro
- blanco

Technical details

País de la Fabricación	 Alemania
fabricante	Mawa
diseñador	Jan Dinnebier
diseñador 2	mawa engineering
protección	IP20
Volumen de suministro	LED
entrada de tensión	230 - 240 Volt
material	aluminio, metal
angulo del rayo	38 grados
Atenuación	dimnable con control de fase inversa y con reguladores de control de fase
Potencia en vatios	12,7 W
LED	incluyendo
Indice de reproduccion cromatica	95
El flujo luminoso en lm	1.100
Temperatura de color en grados Kelvin	2.700 extra blanco cálido
cabeza del alumbrado masa	8 cm
reemplazo de la bombilla:	en el sitio mismo
distribución de la luz	directamente
Dimensions	H 9 cm B 10 cm L 10 cm

Descripción

The Mawa Wittenberg 4.0 ceiling lamp semi-flush LED has an adjustable spotlight head. This lamp head is integrated semi-flush into the rectangular ceiling housing. It can be rotated 365 degrees and swivelled 90 degrees. The large light-emitting surface of the spotlight head is well glare-free. Neither screws nor cables are visible in the compact design of the lamp. This ceiling light is available with powder-coated white matt or black matt surfaces. On request, the lamp is also offered on request with a black ceiling housing and a lamp head in chrome, brass or copper.

The integrated LED has a colour temperature of 2,700 Kelvin extra warm white, on request it is also available with 3,000 Kelvin warm white or 4,000 Kelvin white. The Wittenberg 4.0 ceiling lamp semi-flush LED can be dimmed on site with a leading or trailing edge phase dimmer, on request it is also offered as a DALI dimmable version.

The radiator has a beam angle of 38 degrees. The beam angle determines the angle at which the light from an LED spotlight is emitted. With a larger beam angle, the light is distributed over a larger area. Optionally, the lamp can also be ordered with a beam angle of 12 or 24 degrees in the field Order Comment.