




Knapstein

JULI-T

Oberfläche

- latón
- níquel
- negro

Technical details

| | |
|--|--|
| País de la Fabricación |  Alemania |
| fabricante | Knapstein |
| diseñador | Knapstein |
| protección | IP20 |
| Volumen de suministro | LED |
| entrada de tensión | 110 - 240 Volt |
| Proyección en cm | 75 |
| material | latón |
| Atenuación | control por movimientos |
| Potencia en vatios | 10 W |
| LED | incluyendo |
| Indice de reproduccion cromatica | >90 |
| El flujo luminoso en lm | 1.280 |
| Temperatura de color en grados Kelvin | 2.700 extra blanco cálido |
| longitud del brazo | 37 cm |
| Dimensiones del soporte de la lámpara | longitud 20, anchura 15 cm |
| reemplazo de la bombilla: | en el fabricante / en la fabrica |
| Dimensiones | H 50 cm |

Descripción

The lamp arm of the Knapstein JULI-T table lamp has a projection of 75 cm and can be tilted. The lamp can be also tilted at will by means of a ball-and-socket joint at the lamp base. The table lamp can be switched and continuously dimmed by gesture control. To dim the light, the hand is held under the light source in the lamp arm until the desired light intensity is reached. The sensor for gesture control is located in the lower area of the plexiglass cover of the LED. The light can be switched on or off with a wiping hand movement. To dim the light, the hand is held below or above the sensor until the desired light intensity is reached. The last light intensity set is saved via the memory function and automatically selected again the next time the light is switched on. In the case of a mains failure, the lamp is automatically switched on if it was previously on. It remains switched off if it was also switched off before the mains failure. This function is suitable for use with switchable sockets.

The JULI-T from Knapstein is available in matt brass, black and matt nickel-plated surfaces. Its lamp base is 20 cm long and 15 cm wide. The integrated LED has a colour temperature of 2,700 Kelvin extra warm white.