

LDM

Kyno Spot Duo Surface-mounted



Oberfläche

- Matt aluminium
- aluminium poli
- noir
- bronze
- blanc


Elemente

- or
- aluminium poli
- blanc
- chrome
- noir

Dimmbarkeit

- dimmable DALI
- dimmerable sur place avec commande gradateur de phase inverse
- avec module Casambi

Technical details

Pays de fabrication	 Allemagne
fabricant	LDM
protection	IP20
Contenu de la livraison	LED
aptitude de tension	230 - 240 Volt
matériel	aluminium
angle du faisceau	20 - 60 degrees
Indice de rendu des couleurs	>97
Flux lumineux en lm	2.504
La température de couleur en Kelvin	2.700 extra blanc chaud
canopée Dimensions	Longueur 50 cm, largeur 7 cm, hauteur 3 cm
tête de luminaire masse	Longueur 18 cm, 4 cm
remplacement des ampoules :	chez le fabricant / a l'usine
Les performances du système	2 x 12 Watt

Description

The spotlight LDM Kyno Spot Duo Surface-mounted is made of aluminum. A frosted optical lens in each lamp head focuses the light. By turning the glass lens out of or into the lamp heads, the beam angle of the light can be continuously adjusted between 20 and 60 degrees. With a larger beam angle, the light is distributed over a larger area.

The Kyno Spot Duo Surface-mounted is available in the surfaces aluminum polished, aluminum matt, bronze, white and black matt. The lamp is offered with a ring-shaped design element on the lamp heads in aluminum polished, matt chrome, gold, white and black matt. The swivel joints are always in the same finish as the design element. Only the lamp with the element in aluminum polished has chrome swivel joints. Without the lenses turned out, the lamp heads are 18 cm long in total.

The Kyno surface-mounted ceiling spotlight is available with three dimming options: on site dimmable with a trailing edge phase dimmer, DALI dimmable or with an integrated Casambi module. The Kyno Spot Duo Surface-mounted is supplied with a colour temperature of 2,700 Kelvin extra warm white. On request, the spotlight is also available with 3,000 Kelvin warm white, 4,000 Kelvin white or with dim-to-warm technology. With the dim-to-warm function, the light colour of the LED changes to a warmer tone when dimmed (from 3,000 Kelvin warm white to 1,800 Kelvin extra warm white). The lamp is operated with Full Spectrum LEDs whose light resembles sunlight.