




Knapstein

FARA-152

Oberfläche

- nikkel
- zwart
- bronzen

Technical details

Land van fabricage	 Duitsland
fabrikant	Knapstein
ontwerper	Knapstein
jaar	2022
bescherming	IP20
Omvang van de levering	LED
voltage geschiktheid	230 - 240 Volt
materiaal	metaal
hoogteverstelling	hoogte verstelbaar
dimmen	gebarencontrole
Wattage	72 W
LED	inclusief
Kleurweergave-index	>90
Lichtstroom in lm	8.580
Kleurtemperatuur in Kelvin	2.200 - 3.000 instelbaar
luifel Dimensions	Lengte 60 cm, hoogte 6 cm
bulb vervangen:	bij de fabrikant / fabriek
totale hoogte	73 - 180 cm
Dimensions	H 6,5 cm B 1,4 cm L 152 cm

Omschrijving

The Knapstein FARA-152 pendant light is 152 cm long. By lifting or pulling the lamp, the total height of the pendant lamp can be adjusted at any time between 73 cm and 180 cm. It is also possible to mount the lamp at an angle. The FARA-152 emits its light both upwards and downwards. The uplight and the downlight are separately switchable and continuously dimmable via gesture control. The light colour for the uplight and downlight can also be adjusted separately to a warmer tone via gesture control (from the colour temperature of 3,000 Kelvin warm white to 2,200 Kelvin extra warm white). All dimming and light colour settings are saved via memory function and automatically reset the next time the light is switched on.

The sensor area of the gesture control is located centrally at the top and bottom of the lamp. The lamp is switched on or off with a wiping hand movement in the sensor area. To dim the light continuously, the hand is held in the sensor area for a longer period of time. After the dimming process is completed, the lamp flickers briefly. Afterwards, the desired light colour can be set by holding the hand in the sensor area again for a longer time. Knapstein offers the FARA-152 with a matt nickel, black or bronze effect finish. There are also offered lamps from the series with a length of 92 cm, 112 cm and 132 cm. On request, the FARA is also available in other lengths or surfaces.